



New Test

Soil Report

Symbol	Map Unit Description	Farmland class	Area (AC)	Available Water Storage (0-150cm - Weighted Average)	Flooding Frequency (Maximum)	Drainage Class (Dominant Condition)	Drainage Class (Wetter Component)	Hydric Classification	Water Table Depth (Annual Minimum)	Water Table Depth (April to June Minimum)	Bedrock Depth (Minimum)	Soil Order
EUA	Eunola loamy sand, 0 to 2 percent slopes	All areas are prime farmland	580.52	20.2	None	Moderately well drained	Moderately well drained	4	46	46	0	Ultisols
MH	Mouzon and Hobcaw soils, frequently flooded	Not prime farmland	533.86	18.0	Frequent	Poorly drained	Very poorly drained	100	0	0	0	Alfisols
Og	Ogeechee fine sandy loam	Farmland of statewide importance	412.59	17.5	None	Poorly drained	Poorly drained	100	0	0	0	Ultisols
EmA	Emporia loamy sand, 0 to 2 percent slopes	All areas are prime farmland	371.56	19.2	None	Well drained	Well drained	2	91	91	0	Ultisols
AuA	Autryville sand, 0 to 2 percent slopes	Farmland of statewide importance	350.55	13.1	None	Well drained	Well drained	4	122	122	0	Ultisols
EmB	Emporia loamy sand, 2 to 6 percent slopes	All areas are prime farmland	320.19	19.2	None	Well drained	Well drained	0	91	91	0	Ultisols
CmB	Chisolm loamy fine sand, 2 to 6 percent slopes	Farmland of statewide importance	247.81	15.2	None	Well drained	Well drained	0	91	0	0	Ultisols
Ym	Yemassee sandy loam	Prime farmland if drained	235.43	22.0	None	Somewhat poorly drained	Somewhat poorly drained	2	30	30	0	Ultisols
Gu	Gourdin loam	Farmland of statewide importance	144	14.8	None	Poorly drained	Poorly drained	100	0	0	0	Ultisols
Js	Johnston sandy loam, frequently flooded	Not prime farmland	109.85	17.1	Frequent	Very poorly drained	Very poorly drained	100	0	0	0	Inceptisols
CaB	Candor sand, 2 to 6 percent slopes	Farmland of statewide importance	99.48	8.9	None	Somewhat excessively drained	Somewhat excessively drained	3	0	0	0	Ultisols
FoA	Foreson fine sand, 0 to 2 percent slopes	All areas are prime farmland	77.89	13.8	None	Moderately well drained	Moderately well drained	6	46	46	0	Ultisols
Sm	Seewee complex	Not prime farmland	63.89	10.7	None	Somewhat poorly drained	Somewhat poorly drained	3	46	46	0	Spodosols
CaA	Candor sand, 0 to 2 percent slopes	Farmland of statewide importance	54.8	8.6	None	Somewhat excessively drained	Somewhat excessively drained	3	0	0	0	Ultisols
Hb	Hobcaw sandy loam, frequently flooded	Not prime farmland	32.35	19.5	Frequent	Very poorly drained	Very poorly drained	100	0	0	0	Ultisols
Cf	Cape Fear sandy loam	Farmland of statewide importance	31.78	25.1	None	Very poorly drained	Very poorly drained	100	0	0	0	Ultisols

W	Water	Not prime farmland	23.54	0.0					0	0	0	0	
Jd	Jedburg loam	Prime farmland if drained	21.86	27.4	None	Some what poorly drained	Some what poorly drained	2	31	31	0	0	Ultis ols
IzA	Izagara silt loam, 0 to 2 percent slopes	All areas are prime farmland	17.84	24.9	None	Moderately well drained	Moderately well drained	2	76	0	0	0	Ultis ols
Rg	Rutledge loamy fine sand	Not prime farmland	17.1	12.6	Rare	Very poorly drained	Very poorly drained	100	0	0	0	0	Inceptis ols
HvB	Hornsville sandy loam, 2 to 6 percent slopes	All areas are prime farmland	16.82	19.7	None	Moderately well drained	Moderately well drained	8	46	46	0	0	Ultis ols
CmC	Chisolm loamy fine sand, 6 to 10 percent slopes	Not prime farmland	14.44	15.4	None	Well drained	Well drained	4	91	0	0	0	Ultis ols
Da	Daileville silt loam	Farmland of statewide importance	11.25	21.8	None	Poorly drained	Poorly drained	97	15	15	0	0	Ultis ols
Gr	Grifton fine sandy loam, frequently flooded	Not prime farmland	10.92	21.3	Frequent	Poorly drained	Poorly drained	98	23	23	0	0	Alfis ols
HvA	Hornsville sandy loam, 0 to 2 percent slopes	All areas are prime farmland	9.29	19.7	None	Moderately well drained	Moderately well drained	4	46	46	0	0	Ultis ols
Ed	Edisto loamy fine sand	Farmland of statewide importance	6.44	19.4	None	Some what poorly drained	Some what poorly drained	0	61	61	0	0	Alfis ols
Ud	Udorthents, loamy	Not prime farmland	6.12	21.0	None	Moderately well drained	Moderately well drained	0	0	0	0	0	Entis ols
Sk	Seabrook loamy fine sand	Not prime farmland	4.28	9.6	None	Some what poorly drained	Some what poorly drained	3	61	61	0	0	Spodos ols
Ch	Charles ton loamy fine sand	All areas are prime farmland	3.63	17.9	None	Moderately well drained	Moderately well drained	3	84	0	0	0	Alfis ols
BnA	Bonneau fine sand, 0 to 2 percent slopes	Farmland of statewide importance	2.97	15.5	None	Well drained	Well drained	4	122	0	0	0	Ultis ols
Px	Paxville fine sandy loam	Farmland of statewide importance	1.55	22.0	None	Very poorly drained	Very poorly drained	100	0	0	0	0	Ultis ols
WnB	Wando loamy fine sand, 0 to 6 percent slopes	Not prime farmland	1.04	5.3	None	Moderately well drained	Moderately well drained	3	145	145	0	0	Entis ols
Ts	Tidal marsh, soft	Not prime farmland	0.52	22.7	Very frequent	Very poorly drained	Very poorly drained	100	0	0	0	0	Entis ols
26B	Eulonia loamy fine sand, 2 to 6 percent slopes	All areas are prime farmland	0.43	14.4	None	Moderately well drained	Moderately well drained	0	46	46	0	0	Ultis ols
59	Wahee fine sandy loam	Farmland of statewide importance	0.16	21.5	None	Some what poorly drained	Some what poorly drained	3	46	0	0	0	Ultis ols
Da	Da whoo and rutledge loamy fine sand	Not prime farmland	0.13	14.3	Frequent	Very poorly drained	Very poorly drained	100	0	0	0	0	Inceptis ols