

R E ALTY



Sissy duPerier P: 830-796-5558



2000ft

1500

1000

500

KRB

NUB

BB

Ø

WITTRO

DPB

Ø

2 M S

D Boundary

I D All Polygons 98.73 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|--------------|-------|-----|-------|------|
| DpB | Depalt silty clay loam, 0 to 3 percent slopes | 38.27 | 38.76 | 0 | 43 | 3e |
| NuB | Nuvalde silty clay, moist, 1 to 3 percent slopes | 25.18 | 25.5 | 0 | 54 | 2e |
| Oa | Oakalla silty clay loam, 0 to 2 percent slopes, occasionally flooded | 20.88 | 21.15 | 0 | 58 | 3e |
| Be | Boerne fine sandy loam, 0 to 3 percent slopes, occasionally flooded | 10.02 | 10.15 | 0 | 47 | 3s |
| OB | Orif-Boerne association, 0 to 5 percent slopes, frequently flooded | 3.95 | 4.0 | 0 | 27 | 5w |
| KrB | Krum silty clay, 1 to 3 percent slopes | 0.43 | 0.44 | 0 | 47 | 2e |
| TOTALS | | 98.73(*) | 100% | - | 48.76 | 2.82 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

I D Boundary 5.55 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|--------------|-------|-----|-------|------|
| ОВ | Orif-Boerne association, 0 to 5 percent slopes, frequently flooded | 3.81 | 68.65 | 0 | 27 | 5w |
| Oa | Oakalla silty clay loam, 0 to 2 percent slopes, occasionally flooded | 1.74 | 31.35 | 0 | 58 | 3e |
| TOTALS | | 98.73(*) | 100% | - | 36.72 | 4.37 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

I 🔁 Boundary 93.18 ac

| SOIL CODE | SOIL DESCRIPTION | ACRES | % | CPI | NCCPI | CAP |
|-----------|--|--------------|-------|-----|-------|------|
| DpB | Depalt silty clay loam, 0 to 3 percent slopes | 38.27 | 41.07 | 0 | 43 | 3e |
| NuB | Nuvalde silty clay, moist, 1 to 3 percent slopes | 25.18 | 27.02 | 0 | 54 | 2e |
| Oa | Oakalla silty clay loam, 0 to 2 percent slopes, occasionally flooded | 19.14 | 20.54 | 0 | 58 | 3e |
| Be | Boerne fine sandy loam, 0 to 3 percent slopes, occasionally flooded | 10.02 | 10.75 | 0 | 47 | 3s |
| KrB | Krum silty clay, 1 to 3 percent slopes | 0.43 | 0.46 | 0 | 47 | 2e |
| ОВ | Orif-Boerne association, 0 to 5 percent slopes, frequently flooded | 0.14 | 0.15 | 0 | 27 | 5w |
| TOTALS | | 98.73(*) | 100% | - | 49.48 | 2.73 |

(*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

| Land, Capability | | | | | | | | | |
|------------------|---|---|---|---|---|---|---|---|--|
| | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | |
| 'Wild Life' | ٠ | • | ٠ | ٠ | ٠ | ٠ | ٠ | • | |
| Forestry | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | ٠ | | |
| Limited | ٠ | ٠ | ٠ | • | ٠ | ٠ | • | | |
| Moderate | ٠ | ٠ | ٠ | • | ٠ | ٠ | | | |
| Intense | ٠ | • | ٠ | • | • | | | | |
| Limited | ٠ | ٠ | ٠ | ٠ | | | | | |
| Moderate | ٠ | • | ٠ | | | | | | |
| Intense | ٠ | ٠ | | | | | | | |
| Very Intense | ٠ | | | | | | | | |
| | | | | | | | | | |

Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water