

Owner: BRYSON ADAMS Owner Well #: No Data

Address: 2121 MCCLENDON Grid #: 32-02-7

WEATHERFORD, TX 76082

Latitude: 32° 53' 09.78" N

Well Location: 2121 MCCLENDON

WEATHERFORD, TX 76082 Longitude: 097° 50' 14.75" W

Well County: Parker Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 6/16/2020 Drilling End Date: 6/16/2020

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 7.875
 0
 220

Drilling Method: Air Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 120 220 Gravel 16

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 11 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **100**

Sealed By: **Driller** Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 80 ft. below land surface on 2020-06-16

Packers: No Data

Type of Pump: Submersible Pump Depth (ft.): 180

Well Tests: Estimated Yield: 14 GPM after 1 hours, no drawdown specified

Water Quality: Strata Depth (ft.) Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: CLAY PITTS WATER WELLS

PO BOX 1722

SPRINGTOWN, TX 76082

Driller Name: CLAY PITTS License Number: 58155

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	2	TOPSOIL
2	12	BROWN CLAY
12	120	GRAY SHALE
120	200	SAND
200	220	SAND SHALE MIX

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Perforated or Slotted	New Plastic (PVC)	40	0	220
	Blank			0	120
	Perforated or Slotted		20	120	220

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: BROOKSON BUILDERS Owner Well #: No Data

Address: **P O BOX 1060** Grid #: **32-02-7**

JUSTIN, TX 76247

Well Location: 1005 KINGSWAY

WEATHERFORD, TX 76085

Latitude:

32° 53' 06.22" N

Longitude: 097° 50' 08.41" W

Well County: Parker Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 4/29/2021 Drilling End Date: 4/29/2021

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 7.875
 0
 200

Drilling Method: Air Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 25 200 Gravel .25

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 5 Bags/Sacks

20

25

Bentonite 2 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **+50**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **NA**

Distance to Continuation (ii.). NA

Distance to Septic Tank (ft.): NA

Method of Verification: OWNER

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: No Data

Packers: No Data

Type of Pump: Submersible

Well Tests: Estimated Yield: 10 GPM

Water Quality:

No Data

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: MALONE WELL SERVICE

1225 RANGER HWY

WEATHERFORD, TX 76086

Driller Name: LELAND DAVIS MALONE License Number: 1974

Apprentice Name: EVERITT ADAM FOWLER Apprentice Number: 60561

Comments: JEFFREY LASHLEY 60697 HELPER.

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	15	ROCK
15	40	SAND
40	80	CLAY
80	120	SHALE
120	180	SAND
180	200	SHALE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Blank	New Plastic (PVC)	40	0	140
4	Screen	New Plastic (PVC)	40 0.020	140	180
4	Blank	New Plastic (PVC)	40	180	200

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Latitude:

32° 53' 07.3" N

Owner: BROOKSON BUILDER Owner Well #: No Data

Address: P O BOX 1060 Grid #: 32-02-7

JUSTIN, TX 76247

Well Location: 2001 ADAMS OVERLOOK
WEATHERFORD, TX 76088 Longitude: 097° 50' 05.21" W

Well County: Parker Elevation: 1226 ft. above sea level

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 4/23/2021 Drilling End Date: 4/23/2021

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 7.75
 0
 200

Drilling Method: Air Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 25 200 Gravel .25

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 5 Bags/Sacks

20

25

Bentonite 2 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **+50**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **NA**

Distance to Septic Tank (ft.): NA

Method of Verification: OWNER

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: No Data

Packers: No Data

Type of Pump: Submersible

Well Tests: Yield: 10 GPM

Water Quality:

No Data

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: MALONE WELL SERVICE

1225 RANGER HWY

WEATHERFORD, TX 76086

Driller Name: LELAND DAVIS MALONE License Number: 1974

Apprentice Name: EVERITT ADAM FOWLER Apprentice Number: 60561

Comments: **JEFFREY LASHLEY 60697, HELPER.**

Report Amended on 5/14/2021 by Request #34135

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description
0	10	ROCK
10	40	YELLOW SAND
40	100	GRAY SHALE
100	140	CLAY
140	180	SAND

SHALE

Casing: BLANK PIPE & WELL SCREEN DATA

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Blank	New Plastic (PVC)	40	0	140
4	Screen	New Plastic (PVC)	40 0.020	140	180
4	Blank	New Plastic (PVC)	40	180	200

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Texas Department of Licensing and Regulation P.O. Box 12157 Austin, TX 78711 (512) 334-5540

180

200

Owner: BROOKSON BUILDERS Owner Well #: No Data

Address: **P O BOX 1060** Grid #: **32-02-7**

JUSTIN, TX 76247

Well Location: 2000 ADAMS OVERLOOK

Latitude: 32° 53' 04.14" N

WEATHERFORD, TX 76088 Longitude: 097° 50' 04.92" W

Well County: Parker Elevation: 1234 ft. above sea level

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 4/26/2021 Drilling End Date: 4/26/2021

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 7.875
 0
 200

Drilling Method: Air Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 25 200 Gravel .25

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 5 Bags/Sacks

20

25

Bentonite 3 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **+50**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **NA**

Distance to Septic Tank (ft.): NA

Method of Verification: OWNER

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: No Data

Packers: No Data

Type of Pump: Submersible

Well Tests: Pump Yield: 10 GPM

Water Quality:

No Data

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: MALONE WELL SERVICE

1225 RANGER HWY

WEATHERFORD, TX 76086

Driller Name: LELAND DAVIS MALONE License Number: 1974

Apprentice Name: EVERITT ADAM FOWLER Apprentice Number: 60561

Comments: JEFFREY LASHLEY 60697

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	10	ROCK
10	60	YELLOW SAND
60	100	GRAY SHALE
100	140	CLAY
140	185	SAND
185	200	GREEN SHALE

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Blank	New Plastic (PVC)	40	0	160
4	Screen	New Plastic (PVC)	40 0.020	160	200

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: NOC ONE Owner Well #: 1

Address: **PO 610** Grid #: **32-02-7**

Well Location: 1968 MCCLENDON Latitude: 32° 52' 57.86" N

PEASTER, TX 76087 Longitude: 097° 50' 12.12" W

Well County: Parker Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 5/26/2017 Drilling End Date: 5/26/2017

WEATHERFORD, TX 76086

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 8
 0
 222

Drilling Method: Air Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 82 22 Gravel

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 14 Bags/Sacks

70

82

Bentonite 2 Bags/Sacks

Seal Method: Poured Distance to Property Line (ft.): No Data

Sealed By: **Driller** Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): NOT INSTALLED

Method of Verification: No Data

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: **No Data** on **2017-05-26**

Packers: No Data

Type of Pump: Submersible Pump Depth (ft.): 200

Well Tests: Yield: 10 GPM with 15 ft. drawdown after 1 hours

Water Quality:

Strata Depth (ft.)

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: KELVIN'S WATER WELLS

2022 E. HWY 199

SPRINGTOWN, TX 76082

Driller Name: E. DEIONNE MILES License Number: 54586

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	1	TOP SOIL
1	9	YELLOW CLAY
9	70	GREEN SHALE
70	82	RED CLAY
82	210	SAND
210	222	RED CLAY

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Blank	New Plastic (PVC)	40	1	82
4	Perforated or Slotted	New Plastic (PVC)	40 20	82	222

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Latitude:

Owner: Michael Wolfsen Owner Well #: No Data

Address: 123 Trailview Lane Grid #: 32-02-7

,

Rock Springs Rd Lot #2 Weatherford, TX 76088

Weatherford, TX 76088

Longitude: 097° 50' 16" W

32° 52' 57.9" N

Well County: Parker Elevation: No Data

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 3/22/2016 Drilling End Date: 3/22/2016

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 7.875
 0
 200

Drilling Method: Air Rotary

Well Location:

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 10 200 Gravel .25"

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 2 Bags/Sacks

Seal Method: **Poured** Distance to Property Line (ft.): **No Data**

Sealed By: **Driller** Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: No Data

Packers: No Data

Type of Pump: Submersible

Well Tests: Yield: 15 GPM

Water Quality:

Strata Depth (ft.)	Water Type
No Data	fresh

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Moore's Water Well Service

3553 South Hwy 281 Mineral Wells, TX 76067

Driller Name: James Lindley Sr License Number: 59352

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	10	sandy clay
10	20	brown clay
20	30	calitchi
30	70	sand
70	80	pink clay
80	90	shale
90	100	sandy clay
100	160	hard sand yielding water
160	200	shale

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Blank	New Plastic (PVC)	sch 40	0	180
4	Screen	New Plastic (PVC)	sch 40 0.020	180	200

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: **Premier Home & Land** Owner Well #: No Data

Address: 200 W Main St

Azle, TX 76020

Grid #: 32-02-7

Well Location: 1962 McLendon Rd

Latitude:

32° 52' 58.28" N

Peaster, TX

Longitude:

097° 50' 18.66" W

Well County: **Parker**

Elevation:

No Data

Type of Work: **New Well** Proposed Use:

Domestic

Drilling Start Date: 11/22/2018 Drilling End Date: 11/22/2018

Borehole:

Diameter (in.)	Top Depth (ft.)	Bottom Depth (ft.)
7.875	0	220

Drilling Method: Air Rotary

Borehole Completion: **Filter Packed**

Filter Pack Intervals:

Annular Seal Data:

Top Depth (ft.)	Bottom Depth (ft.)	Filter Material	Size
160	220	Gravel	16

n	50	Coment 12 Bags/Sacks
тор Бертп (п.)	воттот рертп (п.)	Description (number of sacks & materia

Seal Method: Poured

Distance to Property Line (ft.): No Data

Sealed By: Driller

Distance to Septic Field or other

concentrated contamination (ft.): No Data

Distance to Septic Tank (ft.): No Data

Method of Verification: No Data

Surface Sleeve Installed Surface Completion: Surface Completion by Driller

Water Level: 100 ft. below land surface on 2018-11-22

Packers: No Data

Type of Pump: **Submersible** Pump Depth (ft.): 180

Well Tests: **Estimated** Unspecified yield with 20 ft. drawdown after 1 hours Water Quality:

Strata Depth (ft.)

Water Type

No Data

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: CLAY PITTS WATER WELLS

PO BOX 1722

SPRINGTOWN, TX 76082

Driller Name: Clay Pitts License Number: 58155

Comments: No Data

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Casing: BLANK PIPE & WELL SCREEN DATA

Top (ft.)	Bottom (ft.)	Description
0	20	topsoil yellow clay
20	60	gray shale
60	160	gray shale
160	200	sand
200	220	sandy shale gray shale

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Perforated or Slotted	New Plastic (PVC)	40	0	220
	Blank			0	160
	Perforated or Slotted		20	160	220

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.

Owner: Todd Chandler Owner Well #: No Data

Address: **1846 McClendon Rd.** Grid #: **32-02-7**

Weatherford, TX 76088

Well Location: 1846 McClendon Rd.

Weatherford, TX 76088

Latitude: 32° 52' 58.3" N

Longitude: 097° 50' 30.2" W

Well County: Parker Elevation: 1179 ft. above sea level

Type of Work: New Well Proposed Use: Domestic

Drilling Start Date: 12/29/2017 Drilling End Date: 12/29/2017

 Diameter (in.)
 Top Depth (ft.)
 Bottom Depth (ft.)

 Borehole:
 7.875
 0
 220

Drilling Method: Air Rotary

Borehole Completion: Filter Packed

Top Depth (ft.) Bottom Depth (ft.) Filter Material Size

Filter Pack Intervals: 10 220 Gravel 3/8

Annular Seal Data:

Top Depth (ft.)

Bottom Depth (ft.)

Description (number of sacks & material)

Cement 2 Bags/Sacks

55

65

Cement 2 Bags/Sacks

65

75

Bentonite 1 Bags/Sacks

Seal Method: **Hand Mixed**Distance to Property Line (ft.): **50**

Sealed By: **Driller**Distance to Septic Field or other concentrated contamination (ft.): **n/a**

Distance to Septic Tank (ft.): n/a

Method of Verification: tape measure

Surface Completion: Surface Sleeve Installed Surface Completion by Driller

Water Level: 75 ft. below land surface on 2017-12-29 Measurement Method: Steel Tape

Packers: No Data

Type of Pump: Submersible Pump Depth (ft.): 200

Well Tests: Jetted Yield: 15 GPM with 100 ft. drawdown after 1 hours

Water Quality:

Strata Depth (ft.)	Water Type
75 - 160	paluxy
175 - 210	paluxy

Chemical Analysis Made: No

Did the driller knowingly penetrate any strata which contained injurious constituents?: **No**

Certification Data: The driller certified that the driller drilled this well (or the well was drilled under the

driller's direct supervision) and that each and all of the statements herein are true and correct. The driller understood that failure to complete the required items will result in

the report(s) being returned for completion and resubmittal.

Company Information: Pecks Water Well Service Division

2604 Zion Hill Rd

Weatherford, TX 76088

Driller Name: Randal Peck License Number: 4881

Comments: DFM, Zane Peck was the driller helper

Lithology: DESCRIPTION & COLOR OF FORMATION MATERIAL

Top (ft.)	Bottom (ft.)	Description
0	10	sandy clay
10	20	greenshale & yellow sandstone
20	30	green & purple shale
30	60	greenshale & yellow sandstone
60	65	rock
65	70	greenshale & sandstone
70	75	rock
75	160	greenshale & sandstone
160	170	grayshale
170	210	greenshale & sandstone
210	220	grayshale

Casing: BLANK PIPE & WELL SCREEN DATA

Dla (in.)	Туре	Material	Sch./Gage	Top (ft.)	Bottom (ft.)
4	Blank	New Plastic (PVC)	40	-2	200
4	Screen	New Plastic (PVC)	40 0.020	200	220

IMPORTANT NOTICE FOR PERSONS HAVING WELLS DRILLED CONCERNING CONFIDENTIALITY

TEX. OCC. CODE Title 12, Chapter 1901.251, authorizes the owner (owner or the person for whom the well was drilled) to keep information in Well Reports confidential. The Department shall hold the contents of the well log confidential and not a matter of public record if it receives, by certified mail, a written request to do so from the owner.

Please include the report's Tracking Number on your written request.