



### Soils Map




State: **Wisconsin**  
 County: **Green**  
 Location: **33-4N-7E**  
 Township: **New Glarus**  
 Acres: **110.28**  
 Date: **7/3/2024**



Soils data provided by USDA and NRCS.

Area Symbol: WI045, Soil Area Version: 24

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Bluegrass white clover Tons	Corn Bu	Corn silage Tons	Oats Bu	Orchardgrass alsike Tons	Orchardgrass red clover Tons	Red clover hay Tons	Soybeans Bu	Timothy alsike Tons	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
NgD2	Newglarus silt loam, moderately deep, 12 to 20 percent slopes, moderately eroded	41.55	37.8%	<span style="background-color: yellow; border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	Ive											53	53	50	43
NgC2	Newglarus silt loam, moderately deep, 6 to 12 percent slopes, moderately eroded	31.25	28.3%	<span style="background-color: orange; border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	IIle											58	58	53	48
An	Arenzville silt loam, 0	20.05	18.2%	<span style="background-color: blue; border: 1px solid black; display: inline-block; width: 10px; height: 10px;"></span>	IIw											88	87	75	88

	to 3 percent slopes, occasionally flooded																	
ChB	Chaseburg silt loam, moderately well drained, 2 to 6 percent slopes	7.50	6.8%		llw										84	81	73	84

Soils data provided by USDA and NRCS.

Maps Provided By:



© AgriData, Inc. 2023

www.AgriDataInc.com

Code	Soil Description	Acres	Percent of field	Non-Irr Class Legend	Non-Irr Class *c	Alfalfa hay Tons	Bluegrass white clover Tons	Corn Bu	Corn silage Tons	Oats Bu	Orchardgrass alsike Tons	Orchardgrass red clover Tons	Red clover hay Tons	Soybeans Bu	Timothy alsike Tons	*n NCCPI Overall	*n NCCPI Corn	*n NCCPI Small Grains	*n NCCPI Soybeans
HvA	Huntsville silt loam, 0 to 2 percent slopes, occasionally flooded	4.74	4.3%		Ilw	5	4	140	23	85	4.8	5.2		46	4.4	84	84	69	81
FaD2	Fayette silt loam, 12 to 20 percent slopes, moderately eroded	1.91	1.7%		Ive											76	76	64	60
MsB2	Muscataine silt loam, 2 to 6 percent slopes, moderately eroded	1.59	1.4%		Ile	6	4	160	26	85	4.8	5.6	4.5	53	4.4	86	86	65	74
Cn	Chaseburg and Arenzville silt loams, 0 to 2 percent slopes	0.91	0.8%		Ilw											87	83	72	84
Et	Ettrick silt loam, 0 to 2 percent slopes, frequently flooded	0.51	0.5%		Vlw											52	40	18	52
NgE2	Newglarus silt loam, moderately deep, 20 to 30 percent slopes, moderately eroded	0.27	0.2%		Vle											14	14	13	7
<b>Weighted Average</b>					<b>3.10</b>	<b>0.3</b>	<b>0.2</b>	<b>8.3</b>	<b>1.4</b>	<b>4.9</b>	<b>0.3</b>	<b>0.3</b>	<b>0.1</b>	<b>2.7</b>	<b>0.3</b>	<b>*n 65.3</b>	<b>*n 64.8</b>	<b>*n 58.2</b>	<b>*n 58.1</b>

\*n: The aggregation method is "Weighted Average using all components"

\*c: Using Capabilities Class Dominant Condition Aggregation Method

