



TOTAL SOILS





 Location:
 22-66N-23W

 Township:
 Somerset

 Acres:
 499.91

 Date:
 10/17/2024

▼FarmWorth

Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

√FarmWorth

Code	Description	Acres	% of field	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
50001 📃	Armstrong loam, 5 to 9 percent slopes, eroded	131.39	26.28 %	68	-	3	Somewhat poorly drained
30226 📕	Winnegan loam, 14 to 35 percent slopes	99.29	19.86 %	15	-	6	Moderately well drained
30058 📃	Gara loam, 14 to 18 percent slopes, moderately eroded	85.53	17.11 %	62	-	6	Well drained
30146 📕	Lenzburg-Pits complex, 5 to 35 percent slopes	71.95	14.39 %	32	-	6	Well drained
30063 📃	Gara loam, 9 to 14 percent slopes, moderately eroded	26.49	5.30 %	66	-	4	Well drained
99001 📘	Water	22.85	4.57 %	0	-	-	Subaqueous
30098 📃	Keswick loam, 5 to 14 percent slopes, eroded	18.27	3.65 %	54	-	4	Moderately well drained
34011 🗌	Pering silt loam, terrace, 2 to 6 percent slopes	17.47	3.49 %	67	-	3	Somewhat poorly drained
36117 📘	Nodaway silt loam, heavy till, 0 to 2 percent slopes, occasionally flooded	9.93	1.99 %	83	-	2	Moderately well drained
30091 📃	Grundy silty clay loam, 2 to 5 percent slopes, moderately eroded	9.37	1.87 %	74	-	2	Somewhat poorly drained
30234 🗌	Schuline clay loam, 2 to 14 percent slopes	7.36	1.47 %	53	-	3	Well drained
Av				47.7			