





ROBERT HAEDRICH JR.
TOTAL SOILS



County: **Johnson County, IA**
 Location: **11-79N-5W**
 Township: **Scott**
 Acres: **111.89**
 Date: **10/23/2024**



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Overall NCCPI	Soil Class (Irr)	Soil Class (Non-Irr)	Drainage Class
11B	Colo-Ely complex, 0 to 5 percent slopes	52.72	47.12 %	86	91	-	2	Poorly drained
M163D2	Fayette silt loam, till plain, 9 to 14 percent slopes, eroded	17.61	15.74 %	47	78	-	3	Well drained
121D2	Tama silt loam, 9 to 14 percent slopes, eroded	14.46	12.92 %	61	83	-	3	Well drained
121C2	Tama silt loam, 5 to 9 percent slopes, eroded	6.58	5.88 %	87	87	-	3	Well drained
M163C	Fayette silt loam, till plain, 5 to 9 percent slopes	5.50	4.92 %	79	86	-	3	Well drained
M162C2	Downs silt loam, till plain, 5 to 9 percent slopes, eroded	4.13	3.69 %	82	84	-	3	Well drained
M162D2	Downs silt loam, till plain, 9 to 14 percent slopes, eroded	3.55	3.17 %	57	80	-	4	Well drained
65D2	Lindley loam, 9 to 14 percent slopes, moderately eroded	1.92	1.72 %	39	71	-	4	Well drained
121C	Tama silt loam, 5 to 9 percent slopes	1.90	1.70 %	90	92	-	3	Well drained
M162B	Downs silt loam, till plain, 2 to 5 percent slopes	1.36	1.22 %	90	91	-	2	Well drained
993D2	Gara-Armstrong loams, 9 to 14 percent slopes, moderately eroded	1.11	0.99 %	30	67	-	4	Well drained
121B	Tama silt loam, 2 to 5 percent slopes	1.05	0.94 %	95	93	-	2	Well drained
				Average:	74.1	86.3		

IA has updated the CSR values for each county to CSR2.
 Soils data provided by USDA and NRCS.