



 Boundary



 All Polygons 867.13 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
30	Elbon soils, frequently flooded	274.5 2	31.66	0	62	5w
78	Whitewright-Gullied land complex	126.2 8	14.56	0	1	6e
68	Tinn clay, 0 to 1 percent slopes, occasionally flooded	114.5 4	13.21	0	47	3s
33	Fairlie and Houston Black clays, 1 to 3 percent slopes	108.5 3	12.52	0	44	2e
77	Whitewright-Eddy-Howe complex, 5 to 12 percent slopes	81.1	9.35	0	20	6e
72	Vertel clay, 5 to 12 percent slopes	57.98	6.69	0	29	6e
40	Heiden clay, 3 to 5 percent slopes	44.84	5.17	0	42	3e
46	Lewisville silty clay, 1 to 3 percent slopes	33.49	3.86	0	46	2e
9	Austin silty clay, 2 to 5 percent slopes, moderately eroded	5.65	0.65	0	26	4e
39	Heiden clay, 1 to 3 percent slopes	5.47	0.63	0	42	3e
47	Lewisville silty clay, 3 to 5 percent slopes, eroded	5.36	0.62	0	43	3e
76	Whitewright-Eddy-Howe complex, 1 to 5 percent slopes	5.15	0.59	0	21	4e
W	Water	4.22	0.49	0	-	8
TOTALS		867.1 3(*)	100%	-	40.07	4.42

(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

 Boundary 90.09 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
30	Elbon soils, frequently flooded	47.92	53.19	0	62	5w
68	Tinn clay, 0 to 1 percent slopes, occasionally flooded	35.57	39.48	0	47	3s
33	Fairlie and Houston Black clays, 1 to 3 percent slopes	5.84	6.48	0	44	2e
9	Austin silty clay, 2 to 5 percent slopes, moderately eroded	0.76	0.84	0	26	4e
TOTALS		90.09( *)	100%	-	54.61	4.01

(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

 Boundary 777.04 ac

SOIL CODE	SOIL DESCRIPTION	ACRES	%	CPI	NCCPI	CAP
30	Elbon soils, frequently flooded	226.6	29.16	0	62	5w
78	Whitewright-Gullied land complex	126.2 8	16.25	0	1	6e

33	Fairlie and Houston Black clays, 1 to 3 percent slopes	102.69	13.22	0	44	2e
77	Whitewright-Eddy-Howe complex, 5 to 12 percent slopes	81.1	10.44	0	20	6e
68	Tinn clay, 0 to 1 percent slopes, occasionally flooded	78.97	10.16	0	47	3s
72	Vertel clay, 5 to 12 percent slopes	57.98	7.46	0	29	6e
40	Heiden clay, 3 to 5 percent slopes	44.84	5.77	0	42	3e
46	Lewisville silty clay, 1 to 3 percent slopes	33.49	4.31	0	46	2e
39	Heiden clay, 1 to 3 percent slopes	5.47	0.7	0	42	3e
47	Lewisville silty clay, 3 to 5 percent slopes, eroded	5.36	0.69	0	43	3e
76	Whitewright-Eddy-Howe complex, 1 to 5 percent slopes	5.15	0.66	0	21	4e
9	Austin silty clay, 2 to 5 percent slopes, moderately eroded	4.89	0.63	0	26	4e
W	Water	4.22	0.54	0	-	8
TOTALS		777.04(*)	100%	-	38.39	4.47

(\*) Total acres may differ in the second decimal compared to the sum of each acreage soil. This is due to a round error because we only show the acres of each soil with two decimal.

### Capability Legend

Increased Limitations and Hazards

Decreased Adaptability and Freedom of Choice Users

Land, Capability

	1	2	3	4	5	6	7	8
'Wild Life'	•	•	•	•	•	•	•	•
Forestry	•	•	•	•	•	•	•	
Limited	•	•	•	•	•	•	•	
Moderate	•	•	•	•	•	•		
Intense	•	•	•	•	•			
Limited	•	•	•	•				
Moderate	•	•	•					
Intense	•	•						
Very Intense	•							

### Grazing Cultivation

(c) climatic limitations (e) susceptibility to erosion

(s) soil limitations within the rooting zone (w) excess of water