# **FOR SALE**

149.82 +/- Acres with Over a Mile of Beautiful Etowah River Frontage, Minutes from Downtown Dahlonega

0 Sam Davis Road, Dahlonega, GA 30533

For More Information: Stephen Lovett

770.297.4807 | slovett@nortoncommercial.com

**Zach Tibbs** 

770.297.4876 | ztibbs@nortoncommercial.com









## **OFFERING SUMMARY**

**Sale Price:** \$1,649,500

**Price / Acre:** \$11,010

Lot Size:

**Total:** +/- 149.82 Acres **Conservation Area:** +/- 102.15 Acres

**Approximate** +/- 44 Acres

Pastureland:

**Etowah River** +/- 6.266 Feet

Frontage:

Character Area Rural Places (RP)

**Designation:** 

## **PROPERTY OVERVIEW**

Norton Commercial Acreage Group is proud to present this beautiful North Georgia getaway nestled in the foothills of the Blue Ridge Mountains in Lumpkin County, GA. Spanning +/-149.96 acres, the property features rolling to level wooded terrain, 44 acres of well-manicured pastureland, and 6,266 feet of peaceful, winding frontage along the Etowah River. With 102 acres designated as a permanently protected 'Conservation Area' and a current land conservation agreement (CUVA Easement) in place until 2026, the property guarantees privacy, natural beauty, and a rare investment opportunity. Roughly 116 acres fall within 100-year floodplain, encompassing much of the Conservation Area. This remarkable property offers unlimited outdoor adventure opportunities: kayaking, fishing, hunting, ATV and more. Multiple strategic home sites have been left unrestricted to allow the true nature lover to make this home.

#### **LOCATION OVERVIEW**

Located near the Chattahoochee-Oconee National Forests with quick and easy access to GA 400. The property is just 10 minutes to the University of North GA and the Historic Dahlonega Square. The new Northeast Georgia Medical Center near the intersection of Hwy 60 and GA 400 opened in late 2023 and represents more than a \$30 million investment that will create +150 jobs. One of the fastest growing counties in the country, Lumpkin County's population has grown by 43% over the last 10 years. Within the Lumpkin County ES, MS and HS districts. Located ~60 minutes north of Atlanta, Dahlonega's quaint downtown and diverse outdoor recreation amenities have historically relied on tourism-related activities.

For More Information: Norton Commercial 434 Green Street Gainesville, GA 30501 nortoncommercial.com

 Stephen Lovett
 Zach Tibbs

 770.297.4807
 770.297.4876

slovett@nortoncommercial.com ztibbs@nortoncommercial.com









**For More Information:** 

Norton Commercial 434 Green Street Gainesville, GA 30501 nortoncommercial.com

**Stephen Lovett** 

**Zach Tibbs** 

770.297.4807 slovett@nortoncommercial.com


770.297.4876

ztibbs@nortoncommercial.com









**For More Information:** 


slovett@nortoncommercial.com

Norton Commercial 434 Green Street Gainesville, GA 30501 nortoncommercial.com


ztibbs@nortoncommercial.com













**For More Information:** 

slovett@nortoncommercial.com

Norton Commercial 434 Green Street Gainesville, GA 30501 nortoncommercial.com

Stephen Lovett


770.297.4807 770.297.4876

**Zach Tibbs** 

ztibbs@nortoncommercial.com







**For More Information:** 

Norton Commercial 434 Green Street Gainesville, GA 30501 nortoncommercial.com

**Stephen Lovett** 

**Zach Tibbs** 

770.297.4807 slovett@nortoncommercial.com

770.297.4876

ztibbs@nortoncommercial.com



149.82 +/- Acres with Over a Mile of Beautiful Etowah River Frontage, Minutes from Downtown Dahlonega

0 SAM DAVIS ROAD, DAHLONEGA, GA 30533



#### **OUTDOOR RECREATION**

Dahlonega is surrounded by stunning natural beauty. With the Chattahoochee National Forest, the Appalachian Trail, and numerous parks close by, the area is perfect for outdoor enthusiasts to enjoy activities like hiking, kayaking, fishing, horseback riding, and camping.

#### THE SOUTH'S WINE COUNTRY

As the "Wine Tasting Room Capital of Georgia," Dahlonega boasts numerous award-winning vineyards and wineries, hosting wine tours, festivals, and events that bring thousands of visitors annually.



#### HISTORIC DOWNTOWN DAHLONEGA

Known for its charming, walkable downtown area, Dahlonega features an array of local shops, award-winning wineries, fine dining, and historic landmarks. The downtown district is a hub for both tourists and residents, offering a sophisticated yet relaxed lifestyle that attracts visitors year-round.

The town hosts numerous annual events, including the Gold Rush Festival, the Dahlonega Wine Trail, and Old Fashioned Christmas, drawing visitors from across the region.



### **NORTHEAST GEORGIA MEDICAL CENTER**

Northeast Georgia Medical Center in Dahlonega is a state-of-the-art healthcare facility providing exceptional medical services to the region. Opened in 2023, it offers 60,000 square feet of cutting-edge medical space, with plans to expand to 130,000 square feet in the future.

#### **EDUCATION**

Home to the University of North Georgia, a top #15 public regional university with an enrollment of more than 7,500. UNG is one of just six Senior Military Colleges in the United States.



For More Information: Norton Commercial 434 Green Street Gainesville, GA 30501 nortoncommercial.com

 Stephen Lovett
 Zach Tibbs


 770.297.4807
 770.297.4876

slovett@nortoncommercial.com

ztibbs@nortoncommercial.com









**For More Information:** 

Norton Commercial 434 Green Street Gainesville, GA 30501 nortoncommercial.com

Stephen Lovett


770.297.4807 770.297.4876 slovett@nortoncommercial.com ztibbs@norton

Zach Tibbs

ztibbs@nortoncommercial.com

**NORTON** 






POPULATION	5 MILES	10 MILES	15 MILES	
TOTAL POPULATION	16,698	44,139	110,466	
MEDIAN AGE	38	41	42	
MEDIAN AGE (MALE)	37	40	41	
MEDIAN AGE (FEMALE)	38	42	43	
HOUSEHOLDS & INCOME	5 MILES	10 MILES	15 MILES	
TOTAL HOUSEHOLDS	5,225	15,796	40,767	
# OF PERSONS PER HH	3.2	2.8	2.7	
AVERAGE HH INCOME	\$85,479	\$101,002	\$113,638	
AVERAGE HOUSE VALUE	\$328,004	\$365,335	\$412,089	

For More Information: Norton Commercial 434 Green Street Gainesville, GA 30501 nortoncommercial.com

Stephen LovettZach Tibbs770.297.4807770.297.4876slovett@nortoncommercial.comztibbs@nortoncommercial.com



<sup>\*</sup> Demographic data derived from 2020 ACS - US Census



A	AMB AREA 2 DESCRIPTION:			N:
LINE	BEARING	CHORD	LENGTH	RADIUS
C201	S73°46'15"W	148.36'	150.54'	255.00'
C202	S34'26'11"W	158.66'	160.86'	280.00'
L203	N60'18'25"W	35.75'		
C204	N38'56'54"W	203.95'	208.75	280.00'
C205	N60'49'16"W	320.01'	340.63'	280.00'
C206	N62°02'29"W	373.93	409.45'	280.00'
Ç207	N33°22'52"W	562.69'	716.37	305,00'
C208	N01'17'47"W	174.68	178.29'	255.00'
C209	N26*59'44"W	247.50	254,60'	310.00'
L210	N12"28'03"W	53.70'		
C211	N00°05'04"₩	109.37'	110.22	255.00'
C212	NO1'46'38"W	263.91	277.38'	255.00'
C213	N0814'11"E	270.83	285,52	255.00'
C214	N01'48'33"W	136.72	138.41	255.00'
C215	N30'30'55"W	101.75	102.44	255.00'
L216	N19'00'25"W	87.39'		
C217	N12'26'36"E	266.10'	279.95'	255,00'
C218	N16*49'04"E	275.43	290.95'	255.00'
L219	S79'49'12"E	480.68'		
C220	S2811'13"W	189.83'	193.82'	275.00'
C221	S11*06'47"W	209,44	214.87	275.00'
C222	S0746'02"E	339.09'	368.50'	263.00'
C223	S11'35'35"W	243.63	253,30'	263.00'
L224	S26"22'43"E	47.19'		
L225	S35'44'23"E	488.40'		
C226	S78'12'29"W	82,59'	82.95	255.00'
C227	S43*10'51"W	134,58	136.19	255.00'
C228	S03'35'13"W	265.30'	276,39'	280.00'
C229	S05'37'14"E	106.39	107.04	280.00'
C230	S53*54'10"E	305.38'	322.99'	280.00
C231	S60°40'29"E	355,95	385.74	280,00'
C232	S56'43'31"E	355,97	385.77	280.00'
L233	S89*23'27"E	45.88'		
C234	S57'58'50"E	291,85	307.00	280.00'
C235	S87*47'25"E	15.97'	15.98'	280.00'
C236	N58'24'24"E	313.84	333.14	280,00'
L237	S87'30'29"E	25.26	<u> </u>	
L238	N37'36'11"E	127,23	<u></u>	<u> </u>

AMB AREA		3 DESCRIPTION:		
LINE	BEARING	CHORD	LENGTH	RADIUS
L301	S39'48'15"W	337.34		
L302	S55*01'02*W	138.05		
L303	S48'23'42"W	229,73		
L304	S37'00'30"W	87.08'		
L305	S50'36'58"W	310.48'		
L306	S60'51'49"W	46,81		
L307	S08"11"48"E	44.08'		
L308	S37'58'39"E	151.83'		
L309	S01'42'14"E	261.37		
L310	S08'29'28"E	259.02'		
L311	S02'04'54"W	262.47	·	
L312	S23'44'13"W	358,45		
L313	S4010'26"W	177.09'		
L314	S68°02'34"W	148.65		
L315	S58'36'38"E	119.39		
L316	S60°51'58"E	399.02'		
L317	S38'08'00"E	225.91		
L318	S64'11'11"E	262.29		
L319	S49'03'14"E	232.89		
L320	S79'33'56"E	52,61		
L321	N84*39'07"E	42.96'		
L322	N61*40'53"E	134.81		
L323	S84'04'31"E	138.90		
L324	N71'00'02"E	179.81		
L325	N82'46'45"E	147,11'		
C326	S78'09'42"E	168.50	171.15'	280.00'

# LEGAL DESCRIPTION: AMB AREA 1

ALL THAT TRACT OR PARCEL OF LAND LYING OR BEING IN LAND LOTS 299, 300, AND 332 OF THE 12TH DISTRICT OF LUMPKIN COUNTY, GEORGIA, SAID TRACT OR PARCEL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A LAND LOT CORNER COMMON TO LAND LOTS 330, 331, 370, AND 371; THENCE, S.14'09'00"W. A DISTANCE OF 526.80 FEET TO A POINT; THENCE, N.15'59'27"W. A DISTANCE OF 1,020.68 FEET TO A POINT; THENCE, N.16'50'08"W. A DISTANCE OF 766.69 FEET TO A POINT; THENCE, N.22'58'44"W. A DISTANCE OF 436.34 FEET TO A POINT; THENCE, N.15'50'28"W. A DISTANCE OF 289.87 FEET TO A POINT, SAID POINT BEING THE TRUE POINT OF BEGINNING; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 189.58 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.50'45'11"W. A DISTANCE OF 189.56 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 236.16 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 194.56 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.44"0'32"W. A DISTANCE OF 255.00 FEET A DISTANCE OF 194.56 FEET TO A POINT ON THE NORTHEASTERN EDGE OF A U.S.A.C.E. APPROVED STREAM CROSSING, SAID ARC BEING SUBTENDED BY A CHORD OF S.35'38'24"W. A DISTANCE OF 189.87 FEET; THENCE, NORTHWESTERLY FOLLOWING ALONG SAID U.S.A.C.E. APPROVED STREAM CROSSING, N.35'04'03"W. A DISTANCE OF 470.93 FEET TO A POINT, THENCE, DEPARTING SAID U.S.A.C.E. APPROVED STREAM CROSSING, N.35'04'03"W. A DISTANCE OF 189.87 FEET; THENCE, NORTHWESTERLY FOLLOWING SAID U.S.A.C.E. APPROVED STREAM CROSSING, N.35'04'03"W. A DISTANCE OF 189.37 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.53'37'16"E. A DISTANCE OF 162.26 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 126.47 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 164.47 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.53'37'16"E. A DISTANCE OF 167.05 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 47.10 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD

SAID TRACT OR PARCEL OF LAND CONTAINING 6.95± ACRES.

# LEGAL DESCRIPTION: AMB AREA 3

ALL THAT TRACT OR PARCEL OF LAND LYING OR BEING IN LAND LOTS 260, 261, 262, 298, 299, 300, 301, AND OF THE 12TH DISTRICT OF LUMPKIN COUNTY, GEORGIA, SAID TRACT OR PARCEL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

SAID TRACT OR PARCEL OF LAND CONTAINING 28.10± ACRES.

LEGAL DESCRIPTION: AMB AREA 2

ALL THAT TRACT OR PARCEL OF LAND LYING OR BEING IN LAND LOTS 299, 200, 201, 330, & 331 OF THE 12TH DISTRICT OF LUMPKIN COUNTY, GEORGIA, SAID TRACT OR PARCEL BEING MORE PARTICULARLY DESCRIBED AS FOLLOWS:

BEGINNING AT A LAND LOT CORNER COMMON TO LAND LOTS 330, 331, 370, & 371; THENCE, S.14'09'00"W. A DISTANCE OF 528.80 FEET TO A POINT; THENCE, N.15'59'27"W. A DISTANCE OF 185.82 FEET TO A POINT, SAID POINT BEING THE TRUE POINT OF BEGINNING; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT. HAWING A RADIUS OF 255.00 FEET A DISTANCE OF 150.54 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.73'46'15"W. A DISTANCE OF 148.36 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 160.86 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF \$.34'26'11"W. A DISTANCE OF 158.66 FEET; THENCE, \$.82'58'12"W. A DISTANCE OF 443.32 FEET BY A CHORD OF \$.34-2611 W. A DISTANCE OF 195.05 FEET; IHENCE, \$5.02.5012 W. A DISTANCE OF 49.32 FEET TO A POINT ON THE CENTERLINE OF ETOWAR RIVER; THENCE, FOLLOWING ALONG \$40 CENTERLINE OF A DISTANCE OF 396± FEET TO A POINT; HENCE, N.56'23'09"W. A DISTANCE OF 226.95 FEET TO A POINT; HENCE, N.56'23'09"W. A DISTANCE OF 226.95 FEET TO A POINT; HENCE, N.71'49'57"W. A DISTANCE OF 92.37 FEET TO A POINT; THENCE, DEPARTING SAID CENTERLINE OF ETOWAR RIVER, N.60'18'25"W. A DISTANCE OF 35.75 FEET TO A POINT; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HANNG A DISTANCE OF 328,00 FEET A DISTANCE OF 208.75 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.38'36'54"W. A DISTANCE OF 203.95 FEET, THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 340.63 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.60'491'6"W. A DISTANCE OF 320.01 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADILIS OF 280.00 FEET A DISTANCE OF 409.45 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF A RADIUS OF 280,00 FEET A DISTANCE OF 409.45 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.62'02'29"W, A DISTANCE OF 373.93 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 305.00 FEET A DISTANCE OF 716.37 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.33'22'52"W, A DISTANCE OF 562.69 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 178.29 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.0117'47"W, A DISTANCE OF 174.68 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 310.00 FEET A DISTANCE OF 254.60 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.26'59'44"W, A DISTANCE OF 247.50 FEET; THENCE, N.12'28'03"W, A DISTANCE OF 53.70 FEET TO A POINT; THENCE, TO SUBTANCE OF 53.70 FEET TO A POINT; THENCE, TO SUBTANCE OF 53.70 FEET TO A POINT; THENCE, THE N.26'59'44"W. A DISTANCE OF 247.50 FEET; THENCE, N.12'28'03"W. A DISTANCE OF 53.70 FEET TO A POINT; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 110.22 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.00'05'04"W. A DISTANCE OF 109.37 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 277.38 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.01'46'38"W. A DISTANCE OF 263.91 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 285.52 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.08'14'11"E. A DISTANCE OF 270.83 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 138.41 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.08'14'11"E. A DISTANCE OF 136.72 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 102.44 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.03'05'5"W. A DISTANCE OF 107.44 FIENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 107.44 FIENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 107.44 FIENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 29.95 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.03'05'5"W. A DISTANCE OF 27.39 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.03'05'5"W. A DISTANCE OF 27.39 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.02'25'W. A DISTANCE OF 266.00 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 290.95 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.02'25'W. A DISTANCE OF 266.00 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 290.95 FEET TO A POINT, SAID A BY A CHORD OF N.12'26'36"E. A DISTANCE OF 286.10 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 290.95 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.16'49'04"E. A DISTANCE OF 275.43 FEET; THENCE, S.79'49'12"E. A DISTANCE OF 480.68 FEET TO A POINT, THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 275.00 FEET A DISTANCE OF 193.82 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF 5.28'11'13"W. A DISTANCE OF 188.83 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 275.00 FEET A DISTANCE OF 209.44 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 263.00 FEET A DISTANCE OF 368.50 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.07'16'02"E. A DISTANCE OF 339.09 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 263.00 FEET A DISTANCE OF 330.00 FEET THENCE, FOLLOWING THE CURVATURE OF.AN ARC TO THE RIGHT, HAVING A RADIUS OF 263.00 FEET A DISTANCE OF 53.30 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.07'16'02"E. A DISTANCE OF 339.09 FEET; HIENGE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIOS OF 263.00 FEET A DISTANCE OF 243.63 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.11\*35\*35\*W. A DISTANCE OF 243.63 FEET; THENCE, S.26\*22\*43\*E. A DISTANCE OF 47.19 FEET TO A POINT ON THE SOUTHWESTERN EDGE OF A U.S.A.C.E. APPROVED STREAM CROSSING, THENCE, SOUTHEASTERLY FOLLOWING ALONG SAID U.S.A.C.E. APPROVED STREAM CROSSING, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT DEPARTING SAID U.S.A.C.E. APPROVED STREAM CROSSING, HAVING A RADIUS CURVATURE OF AN ARC TO THE RIGHT DEPARTING SAID U.S.A.C.E. APPROVED STREAM CROSSING, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 82.95 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.78\*12\*29\*W. A DISTANCE OF 82.59 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 255.00 FEET A DISTANCE OF 136.19 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.43\*10\*51\*W. A DISTANCE OF 134.58 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 265.30 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 107.04 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.03\*35\*13\*W. A DISTANCE OF 265.30 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 107.04 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.03\*35\*14\*W. A DISTANCE OF 106.39 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS O 280.00 FEET A DISTANCE OF 322.99 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.53°54'10"E. 280.00 FEET A DISTANCE OF 322.99 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.53'54'10"E. A DISTANCE OF 305.38 FEET, THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 355.95 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 355.97 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 355.97 FEET; THENCE, S.89'23'2"E. A DISTANCE OF 355.97 FEET; THENCE, S.89'23'2"E. A DISTANCE OF 45.88 FEET TO A POINT; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 307.00 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.87'85'50"E. A DISTANCE OF 291.85 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 15.98 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.87'47'25"E. A DISTANCE OF 333.14 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF S.87'47'25"E. A DISTANCE OF 333.14 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.58'24'24"E. A DISTANCE OF 313.84 FEET; THENCE, FOLLOWING THE CURVATURE OF AN ARC TO THE RIGHT, HAVING A RADIUS OF 280.00 FEET A DISTANCE OF 333.14 FEET TO A POINT, SAID ARC BEING SUBTENDED BY A CHORD OF N.58'24'24"E. A DISTANCE OF 313.84 FEET; THENCE, S.87'30'29"E. A DISTANCE OF 25.28 FEET TO A POINT; THENCE, N.37'36'11"E. A DISTANCE OF 127.23 FEET TO A POINT; THENCE, S.15'59'2"E. A DISTANCE OF 157'27"E. A DISTANCE OF 491.70 FEET TO A POINT; SAID POINT BEING THE TRUE POINT OF BEGINNING. S.15'59'27"E, A DISYANCE OF 491.70 FEET TO A POINT, SAID POINT BEING THE TRUE POINT OF BEGINNING.

SAID TRACT OR PARCEL OF LAND CONTAINING 47.08± ACRES.

WETLANDS, STREAMS AND BUFFERS MAY BE UNDER THE JURISDICTION OF THE U.S. ARMY CORPS OF ENGINEERS BANKING INSTRUMENT NUMBER 200701399 AND ARE PROTECTED BY A RECORDED DECLARATION OF CONSERVATION COVENANTS AND RESTRICTIONS.

GEORGIA, LUMPKIN COUNTY CLERKS OFFICE SUPERIOR COURT FILE 12.40 M 11.19.08

Georgial in Cabinet 1 Silde 172 Plat 31

FHWARD F JUNESK ACTOR

das

SHEET
2
OF
2

S

	REVISION BLOCK			
DATE: 07-21-2008	NO.	DESCRIPTION	DATE	
SCALE: HORIZ. 1"=300"	NO. 1	REVISED NAME OF DRAWING AND TITLE BLOCK, REVISED	07/29/08	
LAND LOT(S): 200, 261, 262, 298, 299,		WETLANDS COVENANTS NOTE.		
DISTRICT: 12 TH				
SECTION: N/A				
COUNTY: LUMPKIN COUNTY, GEORGIA				
CITY: UNINCORPORATED				
DRAWN: LAS				



LEGAL DESCRIPTIONS OF
APPLEWOOD MITIGATION BANK
FOR:

APPLEWOOD HOLDINGS, L.L.C.

DAVID A. BURRE ENGINEERS & SURVEYORS, INC.

11660 ALPHARETTA HWY. SUITE 100 ROSWELL, GEORGIA 30076 (770)442-0500