

PT-PT	BEARING	DISTANCE
262-1	SEE CURVE DATA	
1-101	S 79° 04' 57" W	39.66'
101-258	S 78° 32' 32" W	124.25'
258-259	N 11° 21' 54" W	33.00'
259-260	N 11° 21' 54" W	615.10'
260-164	N 31° 26' 25" E	420.09'
164-104	S 68° 52' 55" E	190.77'
104-303	S 05° 29' 37" E	832.96'
303-262	S 05° 29' 37" E	35.55'

PT-PT	BEARING	DISTANCE
274-257	N 78° 40' 21" E	215.42'
257-258	N 78° 40' 21" E	66.62'
258-101	N 78° 32' 32" E	124.25'
101-102	S 09° 18' 05" W	32.45'
102-462	S 09° 18' 05" W	3.15'
462-142	S 09° 18' 05" W	1162.14'
142-272	S 60° 26' 35" W	294.81'
272-273	N 02° 22' 27" E	1214.45'
273-274	N 02° 22' 27" E	33.97'

PT-PT	RADIUS POINT	DELTA	RADIUS
262-1	3	5° 50' 02" LT.	1905.02'

PT-PT	BEARING	DISTANCE
271-270	S 10° 26' 38" W	33.53'
270-269	S 10° 26' 38" W	963.80'
269-142	S 60° 34' 10" W	500.20'
142-462	N 09° 18' 05" E	1162.14'
462-102	N 09° 18' 05" E	3.15'
102-101	N 09° 18' 05" E	32.45'
101-1	N 79° 04' 57" E	39.66'
1-262	SEE CURVE DATA	
262-271	SEE CURVE DATA	

PT-PT	BEARING	DISTANCE
253-252	N 03° 27' 28" E	34.13'
252-251	N 03° 27' 28" E	773.80'
251-255	S 88° 20' 18" E	350.53'
255-256	S 11° 18' 35" E	669.39'
256-257	S 11° 18' 35" E	33.00'
257-274	S 78° 40' 21" W	215.42'
274-253	S 78° 40' 21" W	332.11'

PT-PT	BEARING	DISTANCE
271-270	S 10° 26' 38" W	33.53'
270-269	S 10° 26' 38" W	963.80'
269-142	S 60° 34' 10" W	500.20'
142-462	N 09° 18' 05" E	1162.14'
462-102	N 09° 18' 05" E	3.15'
102-101	N 09° 18' 05" E	32.45'
101-1	N 79° 04' 57" E	39.66'
1-262	SEE CURVE DATA	
262-271	SEE CURVE DATA	

PT-PT	RADIUS POINT	DELTA	RADIUS
1-262	3	5° 50' 02" RT.	1905.01'
262-271	3	5° 47' 11" RT.	1905.01'

PT-PT	BEARING	DISTANCE
257-256	N 11° 18' 35" W	33.00'
256-255	N 11° 18' 35" W	669.39'
255-251	N 88° 20' 18" W	350.53'
251-250	N 88° 20' 18" W	349.05'
250-158	N 01° 39' 42" E	882.65'
158-159	S 78° 51' 45" E	263.81'
159-160	S 20° 09' 58" E	84.30'
160-161	S 24° 15' 34" E	201.31'
161-162	S 57° 01' 27" E	279.86'
162-163	S 76° 55' 19" E	180.10'
163-164	S 67° 28' 04" E	202.84'
164-260	S 31° 26' 25" W	420.09'
260-259	S 11° 21' 54" E	615.10'
259-258	S 11° 21' 54" E	33.00'
258-257	S 78° 40' 21" W	66.62'

PT-PT	BEARING	DISTANCE
268-267	S 01° 28' 47" E	33.54'
267-266	S 01° 28' 47" E	655.79'
266-269	S 60° 34' 10" W	548.81'
269-270	N 10° 26' 39" E	963.80'
270-271	N 10° 26' 38" E	33.53'
271-263	SEE CURVE DATA	
263-268	SEE CURVE DATA	

PT-PT	RADIUS POINT	DELTA	RADIUS
271-263	3	4° 21' 37" RT.	1905.01'
263-268	3	4° 04' 35" RT.	1905.01'

PT-PT	BEARING	DISTANCE
253-274	N 78° 40' 21" E	332.11'
274-273	S 02° 22' 27" W	33.97'
273-272	S 02° 22' 27" W	1214.45'
272-143	S 60° 26' 35" W	242.35'
143-9	S 60° 22' 05" W	10.60'
9-5	N 47° 58' 54" W	37.25'
5-144	N 02° 25' 07" W	29.98'
144-154	N 02° 25' 07" W	1214.85'
154-153	N 02° 25' 07" W	32.88'
153-253	N 78° 57' 56" E	28.22'

PT-PT	BEARING	DISTANCE
141-266	S 60° 34' 10" W	1002.25'
266-267	N 01° 28' 47" W	655.79'
267-268	N 01° 28' 47" W	33.54'
268-2	SEE CURVE DATA	
2-138	S 77° 14' 01" E	303.07'
138-141	S 77° 16' 25" E	476.82'

PT-PT	RADIUS POINT	DELTA	RADIUS
268-2	3	3° 58' 52" RT.	1905.01'

PT-PT	CHORD BEARING	CHORD DISTANCE	ARC LENGTH
262-1	S 81° 35' 22" W	193.89'	193.97'
262-271	S 81° 35' 22" E	193.89'	193.97'
262-271	N 87° 23' 58" E	192.31'	192.39'

PT-PT	CHORD BEARING	CHORD DISTANCE	ARC LENGTH
263-268	S 83° 18' 31" E	135.51'	135.54'

PT-PT	RADIUS POINT	DELTA	RADIUS
268-2	3	3° 58' 52" RT.	1905.01'

POINT	DESCRIPTION	NORTHING	EASTING	LATITUDE	LONGITUDE
262	MAG NAIL FOUND	1,096,789.48	1,806,081.13	N 34° 50' 45.7682"	W 081° 38' 46.5521"
253	MAG NAIL FOUND	1,096,608.30	1,805,126.45	N 34° 50' 43.9170"	W 081° 38' 57.9920"
257	MAG NAIL SET	1,096,715.84	1,805,663.30	N 34° 50' 45.0140"	W 081° 38' 51.5594"
274	MAG NAIL SET	1,096,673.53	1,805,452.09	N 34° 50' 44.5824"	W 081° 38' 54.0902"
271	MAG NAIL SET	1,096,798.20	1,806,273.24	N 34° 50' 45.8664"	W 081° 38' 44.2480"
268	MAG NAIL SET	1,096,776.16	1,806,552.63	N 34° 50' 45.6656"	W 081° 38' 40.8945"
141	1/2" REBAR FOUND	1,096,579.54	1,807,443.32	N 34° 50' 43.7757"	W 081° 38' 30.1940"

