

**TR#3**

AN 11.1 AC. TRACT OF LAND, SITUATED IN THE R.D. MOORE LEAGUE, ABSTRACT NO. 55, JACKSON COUNTY, TEXAS, BEING OUT OF LOTS 2671 AND 2672, AND ALSO A PART OF A 100 FT. BOULEVARD AS ABANDONED BY JACKSON COMMISSIONERS' COURT OF AUGUST 14, 2000, OUT OF *FRANCITAS FARMS SUBDIVISION "C"*, AS PER PLAT THEREOF RECORDED IN SLIDE: 7A, OF THE PLAT RECORDS OF JACKSON COUNTY, TEXAS; BEING ALSO A PORTION OF THAT CERTAIN CALLED 39.79 AC. TRACT OF LAND, REFERRED TO AS **TRACT ONE** CONVEYED FROM FRANCITAS RANCH JOINT VENTURE TO GEOFF LAWSON IN DEED DATED JANUARY 10, 2010, RECORDED IN VOLUME 389, PAGE 56, OF THE OFFICIAL RECORDS OF JACKSON COUNTY, TEXAS; SAID 11.1 AC. TRACT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

**FOR REFERENCE** begin at a ½ inch iron rod capped #5319, set in the South line of the platted 40 Ft. wide public road, for the common Northern corner of Lots 2668 & 2669, of said *Francitas Farms Subdivision "C"*, same being the Northeast corner of said 39.79 Ac. tract, and the Northeast corner of a 16.4 Ac. Tr#1, this day surveyed;

**THENCE** South 87 Deg. 51 Min. 02 Sec. West (call & meas.), with the South line of said 40 ft. wide platted public road (COUNTY ROAD NO. 461), same being with the North line of Lots 2669, 2670 & 2671, and with the North line of said 39.79 Ac. tract, at 237.47 ft. pass a ½ inch iron rod capped #5319, set for the Northeast corner of a Proposed 40 ft. Easement, this day surveyed, **and in all**, 266.13 ft. to a ½ inch iron rod capped #5319, set for the Northwest corner of said Tr#1, same being the Northeast corner of a 12.3 Ac. Tr#2, this day surveyed;

**THENCE** South 43 Deg. 36 Min. 03 Sec. West, with the common line between said Tr#1 & Tr#2, same being with the centerline of said Proposed 40 Ft. Easement, 236.85 ft. to a ½ inch iron rod capped #5319, set;

**THENCE** South 35 Deg. 54 Min. 15 Sec. West, continuing with the common line between said Tr#1 & Tr#2, same being with the centerline of said Proposed 40 Ft. Easement, 215.72 ft. to a ½ inch iron rod capped #5319, set;

**THENCE** South 01 Deg. 21 Min. 18 Sec. East, 448.38 ft. to a ½ inch iron rod capped #5319, set for an angle point in the West line of said Tr#1, same being the Southeast corner of said Proposed 40 Ft. Easement, the Southeast corner of said Tr#2, and the **Northeast** and **BEGINNING** corner hereof;

**THENCE** South 02 Deg. 13 Min. 04 Sec. East, 589.8 ft. to a point on the Northern bank of the WEST CARANCAHUA CREEK, same being in the South line of said 39.79 Ac. tract, for the Southwest corner of said Tr#1, same being the **Southeast corner** hereof;

**THENCE** with the Northern and Eastern banks of the WEST CARANCAHUA CREEK, same being with the South and West lines of said 39.79 Ac. tract, the following:

South 77 Deg. 46 Min. West, 286.3 ft.;  
South 86 Deg. 54 Min. West, 226.7 ft.;  
North 77 Deg. 18 Min. West, 128.4 ft.;  
North 51 Deg. 17 Min. West, 143.2 ft.;  
North 20 Deg. 41 Min. West, 195.8 ft.;  
North 03 Deg. 47 Min. West, 167.3 ft.;

North 02 Deg. 10 Min. East, 163.7 ft. to a point for the Southwest corner of said Tr#2, same being the **Northwest corner** hereof;

**THENCE** North 87 Deg. 46 Min. 54 Sec. East, with the South line of said Tr#2, at 11.1 ft. pass a ½ inch iron rod capped #5319, set on the top bank of said WEST CARANCAHUA CREEK, **and in all**, 795.0 ft. to the **PLACE OF BEGINNING** and containing 11.1 Ac. of land.

NOTE: A Plat accompanies this Metes & Bounds description.


Bearings are based on the Texas Coordinate System of 1983, Texas South-Central Zone.


Unless this Metes and Bounds Description (Field Note Description), including preamble, seal and signature, appears in its entirety, and in its original form, Surveyor assumes no responsibility or liability for its accuracy.

I, Robert W. Kolacny, Registered Professional Land Surveyor No. 5319, do hereby certify that the foregoing Field Note Description correctly describes results of a Survey made under my supervision on the ground, May 3, 2021.



Robert W. Kolacny, RPLS No. 5319





Scale: 1" = 200'

LEGEND	
○ ---	1/2" I.R. Set Capped #5319
⊗ ---	Capped I.R. Found

- Note:
- (1) This property is subject to any conflicting rights, claims or other matters which may exist or arise by virtue of the discrepancy between the fence lines, and other improvements, and actual property lines as shown on the survey plat.
  - (2) This property is subject to the rights of the public to any area located within a public roadway, street or alley.
  - (3) This may not be a complete inventory of fences.
  - (4) This property is subject to any and all covenants, restrictions, easements, conditions and ordinances which may be applicable.
  - (5) This survey is valid for this transaction only.
  - (6) Title: No Title Commitment was provided to Surveyor. No attempt was made to research or locate easements that may or may not affect Subject Tract.
  - (7) Property owners must call the pipeline's owner or an official notification center for a precise physical location of all pipelines.

## SURVEY PLAT


SHOWING THE DIVISION OF A CALLED 39.79 AC. TRACT OF LAND, SITUATED IN THE R.D. MOORE LEAGUE, ABSTRACT NO. 55, JACKSON COUNTY, TEXAS, SAID 39.79 AC. TRACT BEING OUT OF LOTS 2669, 2670 AND 2671, AND ALSO A PART OF A 100 FT. BOULEVARD AS ABANDONED BY JACKSON COMMISSIONERS' COURT OF AUGUST 14, 2000, OUT OF FRANCITAS FARMS SUBDIVISION "C", AS PER PLAT THEREOF RECORDED IN SLIDE: 7A, OF THE PLAT RECORDS OF JACKSON COUNTY, TEXAS; BEING ALSO A DIVISION OF THAT CERTAIN CALLED 39.79 AC. TRACT OF LAND, REFERRED TO AS TRACT ONE CONVEYED FROM FRANCITAS RANCH JOINT VENTURE TO GEOFF LAWSON IN DEED DATED JANUARY 10, 2010, RECORDED IN VOLUME 389, PAGE 56, OF THE OFFICIAL RECORDS OF JACKSON COUNTY, TEXAS; SAID DIVISION TRACTS BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS ATTACHED.

NOTE: Bearings are based on the Texas Coordinate System of 1983, Texas South-Central Zone.

I, Robert W. Kolacny, Registered Professional Land Surveyor No. 5319, do hereby certify that the foregoing Plat correctly describes results of a Survey made under my supervision on the ground, May 3, 2021.



*[Signature]*  
 Robert W. Kolacny  
 Registered Professional Land Surveyor No. 5319  
 Ph. (979) 532-8056



140 S. HOUSTON STREET | WHARTON TEXAS 77488 | 979.532.8056  
 - Registered Professional Land Surveyors -  
 OFFICE (979) 532-8056 - kolacny.survey@gmail.com

## PROPOSED 40 FT. WIDE EASEMENT

A PROPOSED 40 FT. WIDE EASEMENT, SITUATED IN THE R.D. MOORE LEAGUE, ABSTRACT NO. 55, JACKSON COUNTY, TEXAS, BEING OUT OF LOTS 2670 AND 2671, OUT OF *FRANCITAS FARMS SUBDIVISION "C"*, AS PER PLAT THEREOF RECORDED IN SLIDE: 7A, OF THE PLAT RECORDS OF JACKSON COUNTY, TEXAS; BEING ALSO OUT OF THAT CERTAIN CALLED 39.79 AC. TRACT OF LAND, REFERRED TO AS TRACT ONE CONVEYED FROM FRANCITAS RANCH JOINT VENTURE TO GEOFF LAWSON IN DEED DATED JANUARY 10, 2010, RECORDED IN VOLUME 389, PAGE 56, OF THE OFFICIAL RECORDS OF JACKSON COUNTY, TEXAS; SAID PROPOSED EASEMENT BEING MORE PARTICULARLY DESCRIBED BY METES AND BOUNDS AS FOLLOWS:

FOR REFERENCE begin at a ½ inch iron rod capped #5319, set in the South line of the platted 40 Ft. wide public road, for the common Northern corner of Lots 2668 & 2669, of said *Francitas Farms Subdivision "C"*, same being the Northeast corner of said 39.79 Ac. tract, and the Northeast corner of a 16.4 Ac. Tr#1, this day surveyed;

THENCE South 87 Deg. 51 Min. 02 Sec. West (call & meas.), with the South line of said 40 ft. wide platted public road (COUNTY ROAD NO. 461), same being with the North line of Lots 2669, 2670 & 2671 of said *Francitas Farms Subdivision "C"*, and with the North line of said 39.79 Ac. tract, and with the North line of said Tr#1, 237.47 ft. to a ½ inch iron rod capped #5319, set for the **Northeast** and BEGINNING corner hereof;

THENCE South 43 Deg. 36 Min. 03 Sec. West, 256.04 ft. to a ½ inch iron rod capped #5319, set for an **angle point** hereof;

THENCE South 35 Deg. 54 Min. 15 Sec. West, 207.68 ft. to a ½ inch iron rod capped #5319, set for an **angle point** hereof;

THENCE South 01 Deg. 04 Min. 53 Sec. East, 300.30 ft. to a ½ inch iron rod capped #5319, set for an **angle point** hereof;

THENCE South 06 Deg. 07 Min. 03 Sec. West, 142.51 ft. to a ½ inch iron rod capped #5319, set for an angle point in the West line of said Tr#1, same being the Northeast corner of an 11.1 Ac. Tr#3, this day surveyed, the Southeast corner of a 12.3 Ac. Tr#2, this day surveyed, and the **Southeast corner** hereof;

THENCE South 87 Deg. 46 Min. 54 Sec. West, with the common line between said Tr#2 and Tr#3, 40.43 ft. to a ½ inch iron rod capped #5319, set for the **Southwest corner** hereof;

THENCE North 06 Deg. 07 Min. 03 Sec. East, 145.86 ft. to a ½ inch iron rod capped #5319, set for an **angle point** hereof;

THENCE North 01 Deg. 04 Min. 53 Sec. West, 311.16 ft. to a ½ inch iron rod capped #5319, set for an **angle point** hereof;

THENCE North 35 Deg. 54 Min. 15 Sec. East, 223.75 ft. to a ½ inch iron rod capped #5319, set for an **angle point** hereof;

THENCE North 43 Deg. 36 Min. 03 Sec. East, 217.67 ft. to a ½ inch iron rod capped #5319, set in the South line of said 40 ft. wide platted public road (COUNTY ROAD NO. 461), same being in the North line of said 39.79 Ac. tract, and in the North line of said Tr#2, for the **Northwest corner** hereof;

THENCE North 87 Deg. 51 Min. 02 Sec. East, with the common line between said 39.79 Ac. tract and said 40 ft. wide platted public road (COUNTY ROAD NO. 461), at 28.66 ft. pass a ½ inch iron rod capped #5319, set for the common Northern corner of said Tr#1 and Tr#2, and in all, 57.32 ft. to the PLACE OF BEGINNING.

NOTE: A Plat accompanies this Metes & Bounds description.


Bearings are based on the Texas Coordinate System of 1983, Texas South-Central Zone.

Unless this Metes and Bounds Description (Field Note Description), including preamble, seal and signature, appears in its entirety, and in its original form, Surveyor assumes no responsibility or liability for its accuracy.

I, Robert W. Kolacny, Registered Professional Land Surveyor No. 5319, do hereby certify that the foregoing Field Note Description correctly describes results of a Survey made under my supervision on the ground, May 3, 2021.



Robert W. Kolacny, RPLS No. 5319



## Deed Restrictions Draft

### Lots 1, 2, 3 Lawson Francitas Subdivision

- 1.) Each Tract shall be used for residential purposes only and nothing shall be done which may be or become an annoyance or nuisance to the adjoining Property or Tract Owners. No part of said Property or Tracts shall be used for Commercial purposes except the raising of livestock.
- 2.) No Tract of land will be allowed to be subdivided. Only one residential dwelling will ever be allowed to be constructed on each Tract. Barndominiums / Barns with living quarters ok.
- 3.) Under no circumstances will house trailer, mobile homes, or existing homes be permitted to be allowed on the Property or any Tract at any time. No junk or abandoned vehicles will be allowed to accumulate on any tract.
- 4.) Recreational Motorhomes / Motor coaches, Camper/Travel Trailers are allowed; provided they are not used for a primary residence and do not permanently remain on the property, permanently being defined as 6 months. If property owner wishes to leave their camper trailer/motor coach for over 6 months, it must be stored inside an enclosed barn.
- 5.) Only Equine and Bovine animals will be allowed to openly graze on the subject Property and/or Tracts. Rabbits, poultry, quail, dove or other birds must be kept in caged areas. No hogs, pigs, sheep or goats will be allowed except for 4H and County Fair Projects. Any animal that a majority of the Owners deem to create a



health problem <sup>or</sup> of nuisance shall be removed. Each owner will practice good grazing methods and will not allow their Tract to be over grazed.

6.) All residences shall be completed within 18 months following the date on which foundation forms are set.

7.) All barns and outbuildings will be constructed in good workman like manner and will not be constructed closer than 50' from their property line.

8.) All water wells and septic systems shall meet county code.

9.) The Principal residence, barns and/or outbuildings shall not be closer than 120' from the property line adjoining the Road Easement and/or County Road 461.

# ELEVATION CERTIFICATE

**Important:** Follow the instructions on pages 1–9.

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

## SECTION A – PROPERTY INFORMATION

### FOR INSURANCE COMPANY USE

A1. Building Owner's Name  
Geoff Lawson

Policy Number:

A2. Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  
PRIVATE ROAD NO. 4612

Company NAIC Number:

City  
LAWARD

State  
Texas

ZIP Code  
77970

A3. Property Description (Lot and Block Numbers, Tax Parcel Number, Legal Description, etc.)  
11.1 AC IN R.D. MOORE SURVEY, ABSTRACT NO. 55, JACKSON COUNTY, TX

A4. Building Use (e.g., Residential, Non-Residential, Addition, Accessory, etc.) RESIDENTIAL

A5. Latitude/Longitude: Lat. 28°48'45.2"N Long. 96°23'55.9"W Horizontal Datum:  NAD 1927  NAD 1983

A6. Attach at least 2 photographs of the building if the Certificate is being used to obtain flood insurance.

A7. Building Diagram Number 5

A8. For a building with a crawlspace or enclosure(s):

a) Square footage of crawlspace or enclosure(s) N/A sq ft

b) Number of permanent flood openings in the crawlspace or enclosure(s) within 1.0 foot above adjacent grade N/A

c) Total net area of flood openings in A8.b N/A sq in

d) Engineered flood openings?  Yes  No

A9. For a building with an attached garage:

a) Square footage of attached garage N/A sq ft

b) Number of permanent flood openings in the attached garage within 1.0 foot above adjacent grade N/A

c) Total net area of flood openings in A9.b N/A sq in

d) Engineered flood openings?  Yes  No

## SECTION B – FLOOD INSURANCE RATE MAP (FIRM) INFORMATION

B1. NFIP Community Name & Community Number  
JACKSON COUNTY UNINCORPORATED AREA, 480379

B2. County Name  
JACKSON

B3. State  
Texas

B4. Map/Panel Number  
48239C0475

B5. Suffix  
D

B6. FIRM Index Date  
09-17-2014

B7. FIRM Panel Effective/ Revised Date  
09-17-2014

B8. Flood Zone(s)  
AE

B9. Base Flood Elevation(s)  
(Zone AO, use Base Flood Depth)  
11 FT.

B10. Indicate the source of the Base Flood Elevation (BFE) data or base flood depth entered in Item B9:

FIS Profile  FIRM  Community Determined  Other/Source: \_\_\_\_\_

B11. Indicate elevation datum used for BFE in Item B9:  NGVD 1929  NAVD 1988  Other/Source: \_\_\_\_\_

B12. Is the building located in a Coastal Barrier Resources System (CBRS) area or Otherwise Protected Area (OPA)?  Yes  No

Designation Date: \_\_\_\_\_  CBRS  OPA

# ELEVATION CERTIFICATE

OMB No. 1660-0008  
Expiration Date: November 30, 2022

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. PRIVATE ROAD NO. 4612			Policy Number:	
City LAWARD	State Texas	ZIP Code 77970	Company NAIC Number	

## SECTION C – BUILDING ELEVATION INFORMATION (SURVEY REQUIRED)

C1. Building elevations are based on:  Construction Drawings\*  Building Under Construction\*  Finished Construction  
\*A new Elevation Certificate will be required when construction of the building is complete.

C2. Elevations – Zones A1–A30, AE, AH, A (with BFE), VE, V1–V30, V (with BFE), AR, AR/A, AR/AE, AR/A1–A30, AR/AH, AR/AO. Complete Items C2.a–h below according to the building diagram specified in Item A7. In Puerto Rico only, enter meters.

Benchmark Utilized: NGS J 1258 (PID AN1810) Vertical Datum: NAVD 1988

Indicate elevation datum used for the elevations in items a) through h) below.

NGVD 1929  NAVD 1988  Other/Source: \_\_\_\_\_

Datum used for building elevations must be the same as that used for the BFE.



Check the measurement used.

- |  |      |  |                                 |
|--|------|--|---------------------------------|
| a) Top of bottom floor (including basement, crawlspace, or enclosure floor) _____  | 11.0 | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| b) Top of the next higher floor _____  | N/A  | <input type="checkbox"/> feet            | <input type="checkbox"/> meters |
| c) Bottom of the lowest horizontal structural member (V Zones only) _____  | N/A  | <input type="checkbox"/> feet            | <input type="checkbox"/> meters |
| d) Attached garage (top of slab) _____   | N/A  | <input type="checkbox"/> feet            | <input type="checkbox"/> meters |
| e) Lowest elevation of machinery or equipment servicing the building (Describe type of equipment and location in Comments) _____ | 11.0 | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| f) Lowest adjacent (finished) grade next to building (LAG) _____   | 7.5  | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| g) Highest adjacent (finished) grade next to building (HAG) _____  | 11.5 | <input checked="" type="checkbox"/> feet | <input type="checkbox"/> meters |
| h) Lowest adjacent grade at lowest elevation of deck or stairs, including structural support _____                               | N/A  | <input type="checkbox"/> feet            | <input type="checkbox"/> meters |

## SECTION D – SURVEYOR, ENGINEER, OR ARCHITECT CERTIFICATION

This certification is to be signed and sealed by a land surveyor, engineer, or architect authorized by law to certify elevation information. I certify that the information on this Certificate represents my best efforts to interpret the data available. I understand that any false statement may be punishable by fine or imprisonment under 18 U.S. Code, Section 1001.

Were latitude and longitude in Section A provided by a licensed land surveyor?  Yes  No  Check here if attachments.

Certifier's Name Robert W. Kolacny	License Number TX - RPLS #5319		
Title Registered Professional Land Surveyor			
Company Name Robert Kolacny & Associates, LLC			
Address 140 S. Houston Street			
City Wharton	State Texas		ZIP Code 77488
Signature 	Date 08-11-2022	Telephone (979) 532-8056	Ext. N/A

Copy all pages of this Elevation Certificate and all attachments for (1) community official, (2) insurance agent/company, and (3) building owner.

Comments (including type of equipment and location, per C2(e), if applicable)

TEMPORARY BENCHMARK IS A 60D NAIL IN TREE AT B.F.E. = 11.0 FT.

# ELEVATION CERTIFICATE

OMB No. 1660-0008  
Expiration Date: November 30, 2022

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. PRIVATE ROAD NO. 4612			Policy Number:	
City LAWARD	State Texas	ZIP Code 77970	Company NAIC Number	

## SECTION E – BUILDING ELEVATION INFORMATION (SURVEY NOT REQUIRED) FOR ZONE AO AND ZONE A (WITHOUT BFE)

For Zones AO and A (without BFE), complete Items E1–E5. If the Certificate is intended to support a LOMA or LOMR-F request, complete Sections A, B, and C. For Items E1–E4, use natural grade, if available. Check the measurement used. In Puerto Rico only, enter meters.

- E1. Provide elevation information for the following and check the appropriate boxes to show whether the elevation is above or below the highest adjacent grade (HAG) and the lowest adjacent grade (LAG).
- a) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_\_ N/A  feet  meters  above or  below the HAG.
- b) Top of bottom floor (including basement, crawlspace, or enclosure) is \_\_\_\_\_ N/A  feet  meters  above or  below the LAG.
- E2. For Building Diagrams 6–9 with permanent flood openings provided in Section A Items 8 and/or 9 (see pages 1–2 of Instructions), the next higher floor (elevation C2.b in the diagrams) of the building is \_\_\_\_\_ N/A  feet  meters  above or  below the HAG.
- E3. Attached garage (top of slab) is \_\_\_\_\_ N/A  feet  meters  above or  below the HAG.
- E4. Top of platform of machinery and/or equipment servicing the building is \_\_\_\_\_ N/A  feet  meters  above or  below the HAG.
- E5. Zone AO only: If no flood depth number is available, is the top of the bottom floor elevated in accordance with the community's floodplain management ordinance?  Yes  No  Unknown. The local official must certify this information in Section G.

## SECTION F – PROPERTY OWNER (OR OWNER'S REPRESENTATIVE) CERTIFICATION

The property owner or owner's authorized representative who completes Sections A, B, and E for Zone A (without a FEMA-issued or community-issued BFE) or Zone AO must sign here. The statements in Sections A, B, and E are correct to the best of my knowledge.

Property Owner or Owner's Authorized Representative's Name N/A			
Address N/A	City N/A	State	ZIP Code
Signature	Date	Telephone	

Comments  NONE
----------------------

Check here if attachments.

# ELEVATION CERTIFICATE

OMB No. 1660-0008  
Expiration Date: November 30, 2022

<b>IMPORTANT: In these spaces, copy the corresponding information from Section A.</b>			<b>FOR INSURANCE COMPANY USE</b>	
Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No. PRIVATE ROAD NO. 4612			Policy Number:	
City LAWARD	State Texas	ZIP Code 77970	Company NAIC Number	

### SECTION G – COMMUNITY INFORMATION (OPTIONAL)

The local official who is authorized by law or ordinance to administer the community's floodplain management ordinance can complete Sections A, B, C (or E), and G of this Elevation Certificate. Complete the applicable item(s) and sign below. Check the measurement used in Items G8–G10. In Puerto Rico only, enter meters.

- G1.  The information in Section C was taken from other documentation that has been signed and sealed by a licensed surveyor, engineer, or architect who is authorized by law to certify elevation information. (Indicate the source and date of the elevation data in the Comments area below.)
- G2.  A community official completed Section E for a building located in Zone A (without a FEMA-issued or community-issued BFE) or Zone AO.
- G3.  The following information (Items G4–G10) is provided for community floodplain management purposes.

G4. Permit Number	G5. Date Permit Issued	G6. Date Certificate of Compliance/Occupancy Issued
-------------------	------------------------	---

- G7. This permit has been issued for:       New Construction     Substantial Improvement
- G8. Elevation of as-built lowest floor (including basement) of the building: \_\_\_\_\_  feet     meters    Datum \_\_\_\_\_
- G9. BFE or (in Zone AO) depth of flooding at the building site: \_\_\_\_\_  feet     meters    Datum \_\_\_\_\_
- G10. Community's design flood elevation: \_\_\_\_\_  feet     meters    Datum \_\_\_\_\_

Local Official's Name	Title
-----------------------	-------

Community Name	Telephone
----------------	-----------

Signature	Date
-----------	------

Comments (including type of equipment and location, per C2(e), if applicable)

Check here if attachments.

# BUILDING PHOTOGRAPHS

## ELEVATION CERTIFICATE

See Instructions for Item A6.

OMB No. 1660-0008

Expiration Date: November 30, 2022

**IMPORTANT: In these spaces, copy the corresponding information from Section A.**

Building Street Address (including Apt., Unit, Suite, and/or Bldg. No.) or P.O. Route and Box No.  
PRIVATE ROAD NO. 4612

**FOR INSURANCE COMPANY USE**

Policy Number:

City State ZIP Code  
LAWARD Texas 77970

Company NAIC Number

If using the Elevation Certificate to obtain NFIP flood insurance, affix at least 2 building photographs below according to the instructions for Item A6. Identify all photographs with date taken; "Front View" and "Rear View"; and, if required, "Right Side View" and "Left Side View." When applicable, photographs must show the foundation with representative examples of the flood openings or vents, as indicated in Section A8. If submitting more photographs than will fit on this page, use the Continuation Page.



Photo One

Photo One Caption GOOGLE EARTH IMAGE OF SUBJECT AREA

Clear Photo One

Photo Two

Photo Two

Photo Two Caption

Clear Photo Two