


FarmWorth[®]

NORTH TRACT (188.05 AC TOTAL, 87.89 AC TILLABLE)

TOTAL SOILS



33 34 32 03 05 1 km 08 FarmWorth 09 n 3000 ft Taylor County, IA County: 04-70N-35W Location: Township: Nodaway 188.05 Acres: 02/05/2025 Date:



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Soil Class (Non- Irr)	Drainage Class
370C2 📃	Sharpsburg silty clay loam, 5 to 9 percent slopes, eroded	22.11	11.76 %	80	3	Moderately well drained
Y93D2 📕	Shelby-Adair clay loams, dissected till plain, 9 to 14 percent slopes, eroded	18.71	9.95 %	35	3	Well drained
792D2 📕	Armstrong clay loam, 9 to 14 percent slopes, moderately eroded	17.60	9.36 %	5	4	Somewhat poorly drained
179E2 📕	Gara loam, dissected till plain, 14 to 18 percent slopes, eroded	16.34	8.69 %	32	6	Well drained
286B 📃	Colo-Judson-Nodaway complex, 0 to 5 percent slopes	14.18	7.54 %	80	2	Poorly drained
1820	Dockery-Quiver silt loams, 0 to 2 percent slopes, occasionally flooded	12.79	6.80 %	87	2	Somewhat poorly drained
76C2 📃	Ladoga silty clay loam, dissected till plain, 5 to 9 percent slopes, eroded	8.60	4.57 %	75	3	Moderately well drained
179F2 📕	Gara loam, dissected till plain, 18 to 25 percent slopes, eroded	8.15	4.33 %	16	7	Well drained
423D2 📕	Bucknell silty clay loam, 9 to 14 percent slopes, moderately eroded	8.12	4.32 %	6	4	Somewhat poorly drained
570D2 🗌	Nira silty clay loam, 9 to 14 percent slopes, eroded	5.78	3.07 %	55	3	Moderately well drained
76D2 🗌	Ladoga silty clay loam, 9 to 14 percent slopes, eroded	5.60	2.98 %	50	3	Moderately well drained
822D2 📕	Lamoni silty clay loam, 9 to 14 percent slopes, eroded	5.32	2.83 %	10	4	Somewhat poorly drained
Y24E2 📕	Shelby clay loam, dissected till plain, 14 to 18 percent slopes, eroded	4.65	2.47 %	35	4	Well drained

Code	Description	Acres	% of field	IA CSR2	Soil Class (Non- Irr)	Drainage Class
570C2 📘	Nira silty clay loam, dissected till plain, 5 to 9 percent slopes, eroded	4.60	2.45 %	81	3	Moderately well drained
370C 📃	Sharpsburg silty clay loam, 5 to 9 percent slopes	4.15	2.21 %	81	3	Moderately well drained
Y192D2 📕	Adair clay loam, dissected till plain, 9 to 14 percent slopes, eroded	3.75	1.99 %	16	4	Somewhat poorly drained
792C2 📕	Armstrong clay loam, 5 to 9 percent slopes, moderately eroded	3.68	1.96 %	24	3	Somewhat poorly drained
Y192C2 📕	Adair clay loam, dissected till plain, 5 to 9 percent slopes, eroded	3.38	1.80 %	33	3	Somewhat poorly drained
51B 📃	Vesser silt loam, 2 to 5 percent slopes, rarely flooded	3.35	1.78 %	75	2	Poorly drained
592D2 📕	Mystic silt loam, 9 to 14 percent slopes, moderately eroded	3.19	1.70 %	9	4	Somewhat poorly drained
822C2 📕	Lamoni silty clay loam, 5 to 9 percent slopes, eroded	3.17	1.69 %	32	3	Somewhat poorly drained
370B 📃	Sharpsburg silty clay loam, 2 to 5 percent slopes	2.51	1.33 %	91	2	Moderately well drained
133 📃	Colo silty clay loam, deep loess, 0 to 2 percent slopes, occasionally flooded	2.24	1.19 %	78	2	Poorly drained
179E 📕	Gara loam, dissected till plain, 14 to 18 percent slopes	2.07	1.10 %	37	6	Well drained
452C2 🗌	Lineville silt loam, 5 to 9 percent slopes, moderately eroded	1.42	0.76 %	53	3	Moderately well drained
w 🗖	Water	1.16	0.62 %	0	-	-
133B 📃	Colo silty clay loam, dissected till plain, 2 to 5 percent slopes, occasionally flooded	1.07	0.57 %	74	2	Poorly drained
370D2 🗌	Sharpsburg silty clay loam, 9 to 14 percent slopes, eroded	0.36	0.19 %	54	3	Moderately well drained
			Average:	47.5		

IA has updated the CSR values for each county to CSR2. Soils data provided by USDA and NRCS.