





HUENEKE FARM TOTAL SOILS



County: **Wayne County, IA**
 Location: **17-70N-22W**
 Township: **Washington**
 Acres: **212.27**
 Date: **02/03/2025**



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

Code	Description	Acres	% of field	IA CSR2	Drainage Class
13B	Zook-Olmitz-Vesser complex, 0 to 5 percent slopes	54.21	25.54 %	68	Poorly drained
23C2	Arispe silty clay loam, 5 to 9 percent slopes, moderately eroded	35.14	16.55 %	62	Somewhat poorly drained
24D2	Shelby clay loam, 9 to 14 percent slopes, moderately eroded	32.99	15.54 %	51	Well drained
222C3	Clarinda silty clay, 5 to 9 percent slopes, severely eroded	23.54	11.09 %	21	Poorly drained
24E2	Shelby clay loam, 14 to 18 percent slopes, moderately eroded	18.38	8.66 %	40	Well drained
364B	Grundy silty clay loam, 2 to 5 percent slopes	11.62	5.47 %	72	Somewhat poorly drained
822C2	Lamoni silty clay loam, 5 to 9 percent slopes, moderately eroded	8.64	4.07 %	31	Somewhat poorly drained
222C2	Clarinda silty clay loam, 5 to 9 percent slopes, moderately eroded	8.49	4.00 %	28	Poorly drained
93D2	Shelby-Adair complex, 9 to 14 percent slopes, moderately eroded	5.99	2.82 %	32	Well drained
222C	Clarinda silty clay loam, 5 to 9 percent slopes	4.89	2.30 %	31	Poorly drained
192C2	Adair clay loam, heavy till, 5 to 9 percent slopes, moderately eroded	3.88	1.83 %	29	Somewhat poorly drained
133	Colo silty clay loam, heavy till, 0 to 2 percent slopes, occasionally flooded	2.57	1.21 %	78	Poorly drained
24E	Shelby loam, 14 to 18 percent slopes	0.65	0.31 %	32	Well drained
W	Water	0.65	0.31 %	0	-
24D	Shelby loam, 9 to 14 percent slopes	0.51	0.24 %	55	Well drained
222D2	Clarinda silty clay loam, 9 to 14 percent slopes, moderately eroded	0.11	0.05 %	8	Poorly drained
Average:				51.0	

IA has updated the CSR values for each county to CSR2.
 Soils data provided by USDA and NRCS.