





GAETA (175.07 AC TOTAL, 8.06 AC TILLABLE)

TOTAL SOILS



County: **Keokuk County, IA**
 Location: **01-74N-13W**
 Township: **Benton**
 Acres: **175.07**
 Date: **02/13/2025**



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code | Description | Acres | % of field | IA CSR2 | Drainage Class |
|-----------------|--|-------|------------|-------------|-------------------------|
| 6220 | Nodaway silt loam, shallow loess, 0 to 2 percent slopes, frequently flooded | 87.77 | 50.13 % | 64 | Moderately well drained |
| 1315 | Nodaway-Klum complex, channeled, 0 to 2 percent slopes, frequently flooded | 20.90 | 11.94 % | 5 | Moderately well drained |
| 6133+ | Colo silt loam, 0 to 2 percent slopes, frequently flooded, overwash | 14.44 | 8.25 % | 5 | Poorly drained |
| 1220 | Nodaway silt loam, shallow loess, 0 to 2 percent slopes, channeled, frequently flooded | 13.84 | 7.91 % | 5 | Moderately well drained |
| RIVER | Water, rivers and streams | 11.60 | 6.63 % | 0 | - |
| 6587 | Chequest silty clay loam, 0 to 2 percent slopes, frequently flooded | 10.04 | 5.73 % | 5 | Poorly drained |
| 880C2 | Clinton silty clay loam, terrace, 5 to 9 percent slopes, eroded | 5.04 | 2.88 % | 71 | Moderately well drained |
| 80D2 | Clinton silty clay loam, 9 to 14 percent slopes, eroded | 4.49 | 2.56 % | 46 | Moderately well drained |
| 80C2 | Clinton silty clay loam, 5 to 9 percent slopes, eroded | 3.45 | 1.97 % | 69 | Moderately well drained |
| 65E2 | Lindley loam, 14 to 18 percent slopes, moderately eroded | 2.91 | 1.66 % | 27 | Well drained |
| 80B | Clinton silt loam, 2 to 5 percent slopes | 0.58 | 0.33 % | 80 | Moderately well drained |
| 722 | Nodaway-Ackmore-Vesser complex, 0 to 2 percent slopes, occasionally flooded | 0.01 | 0.01 % | 78 | Moderately well drained |
| Average: | | | | 39.1 | |

IA has updated the CSR values for each county to CSR2.
 Soils data provided by USDA and NRCS.