



101 ACRES (101.00 AC TOTAL, 101.00 AC TILLABLE)

TOTAL SOILS





County: Lucas County, IA
Location: 15-72N-21W
Township: Lincoln
Acres: 101.00
Date: 02/24/2025



Field borders obtained from Farm Service Agency as of 2008

FarmWorth, LLC makes no representations or warranties, express or implied, as to the accuracy of any information, data, numerical values, boundaries, or any other information generated through the use of FarmWorth.com. User is solely responsible for independently investigating and determining all information provided through FarmWorth.com prior to use and waives any and all claims against FarmWorth, LLC for any inaccuracies or inconsistencies in the information and/or data.

| Code | Description | Acres | % of field | IA CSR2 | Overall NCCPI | Soil Class (Irr) | Soil Class (Non-Irr) | Drainage Class |
|---------------|--|-------|---------------|------------|------------------|---------------------|-------------------------|-------------------------|
| 792D2 | Armstrong clay loam, 9 to 14 percent slopes, | | 27.10 % | 5 | 58 | (1117 | 4 | Somewhat poorly |
| 79202 | moderately eroded | 27.37 | 27.10 % | 3 | 30 | - | 4 | drained |
| 179E2 | Gara clay loam, 14 to 18 percent slopes, moderately eroded | 16.02 | 15.86 % | 23 | 62 | - | 6 | Well drained |
| 13B 🔲 | Zook-Olmitz-Vesser complex, 0 to 5 percent slopes | 13.15 | 13.02 % | 68 | 77 | - | 2 | Poorly drained |
| 131C 🗌 | Pershing silt loam, 5 to 9 percent slopes | 12.52 | 12.39 % | 65 | 73 | - | 3 | Somewhat poorly drained |
| 65F | Lindley loam, 18 to 25 percent slopes | 6.62 | 6.55 % | 17 | 56 | - | 7 | Well drained |
| 65G | Lindley loam, 25 to 40 percent slopes | 5.20 | 5.15 % | 7 | 16 | - | 7 | Well drained |
| 1313F2 | Munterville silty clay loam, 18 to 25 percent slopes, moderately eroded | 4.89 | 4.84 % | 5 | 44 | - | 6 | Moderately well drained |
| 716 | Lawson-Quiver-Nodaway complex, 0 to 2 percent slopes, occasionally flooded | 3.88 | 3.84 % | 78 | 92 | - | 2 | Poorly drained |
| 54B | Zook silty clay loam, heavy till, 2 to 5 percent slopes, rarely flooded | 3.41 | 3.38 % | 71 | 68 | - | 2 | Poorly drained |
| 179F2 | Gara clay loam, 18 to 25 percent slopes, moderately eroded | 3.11 | 3.08 % | 11 | 50 | - | 4 | Well drained |
| 94E2 | Mystic-caleb complex, 14 to 18 percent slopes, moderately eroded | 2.54 | 2.51 % | 17 | 65 | - | 6 | Somewhat poorly drained |
| W | Water | 1.68 | 1.66 % | 0 | 0 | - | - | - |
| 65G2 | Lindley loam, 25 to 40 percent slopes, moderately eroded | 0.44 | 0.44 % | 5 | 16 | - | 7 | Well drained |

| Code | Description | Acres | % of field | IA CSR2 | Overall NCCPI | Soil Class (Irr) | Soil Class (Non-Irr) | Drainage Class |
|----------|------------------------------------|-------|---------------|------------|------------------|---------------------|-------------------------|----------------|
| 179F | Gara loam, 18 to 25 percent slopes | 0.18 | 0.18 % | 19 | 54 | - | 6 | Well drained |
| Average: | | | | | 60.4 | | | |

IA has updated the CSR values for each county to CSR2.

Soils data provided by USDA and NRCS.